

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	1	((macro near2 definition near2 file) with vector) and ((control adj bit definition near2 file) with vector) and ((pattern definition near2 file) with vector) and ((global adj definition near2 file) with (alter\$3 chang\$3 modif\$3) near2 vector) and (combin\$3 with file with final adj vector)).clm.	US-PGPUB	OR	ON	2007/05/15 17:39

Interference Search History Printout

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	1	((macro near2 definition near2 file) with vector) and ((control adj bit definition near2 file) with vector) and ((pattern definition near2 file) with vector) and ((global adj definition near2 file) with (alter\$3 chang\$3 modif\$3) near2 vector) and (combin\$3 with file with final adj vector)).clm.	US-PGPUB	OR	ON	2007/05/15 17:39
L5	1	((segment\$5 partition\$3) with ((starting seed basic initial) adj (vector pattern))) and (add\$3 with (control near2 bit) with vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:33
S17	1	((segment\$5 partition\$3) with ((starting seed basic initial) adj (vector pattern))) and (add\$3 with (control near2 bit) with vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:32
S16	5	S15 and (714/32,33,35,724,728, 735,736,738,739).cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:31
S15	183	((segment\$5 partition\$3) with ((starting seed basic initial) adj (vector pattern)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:31
L4	5	L2 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:31
L3	190	((segment\$5 partition\$3) with ((starting seed basic initial) adj (vector pattern)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:31

## EAST Search History

L2	7036	(714/32,33,35,724,728,735,736,738,739).cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 17:31
S18	3	(generator near2 (vector pattern)) and ((segment\$5 partition\$3) (vector pattern)) and (add\$3 with (control near2 bit) with vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 15:14
S14	374	((segment\$5 partition\$3) same ((starting seed basic initial) adj (vector pattern)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 14:40
S11	6697	(714/32,33,35,724,728,735,736,738,739).cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 14:40
S13	22	((signal data test) near3 (vector pattern) near3 generat\$3) same ((segment\$5 partition\$3) adj (vector pattern)) and (offset\$3 delay\$3 skew\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 14:36
S6	61	((signal data test) near3 (vector pattern) near3 generat\$3) same ((segment\$5 partition\$3) adj (vector pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 14:18
S12	7	(714/32,33,35,724,728,735,736,738,739).cccls. and (algorithmic near3 (signal data test) near3 (vector pattern value) with generat\$3) and (segment\$5 partition\$3) near5 (vector pattern value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 16:04
S9	15	(algorithmic near3 (signal data test) near3 (vector pattern value) with generat\$3) and (segment\$5 partition\$3) near5 (vector pattern value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/08 16:03

## EAST Search History

S10	1	10/710802	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 15:34
S8	1	(algorithmic near3 (signal data test) near3 (vector pattern value) with generat\$3) same (segment\$5 partition\$3) near5 (vector pattern value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 15:25
S3	1554	((signal data test) near3 (vector pattern value) with generat\$3) same (segment\$5 partition\$3) near5 (vector pattern value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 15:23
S7	0	(algorithmic near3 (signal data test) near3 (vector pattern) near3 generat\$3) same ((segment\$5 partition\$3) adj (vector pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 15:22
S4	480	((signal data test) near3 (vector pattern) near3 generat\$3) same ((segment\$5 partition\$3) near5 (vector pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 10:16
S5	176	((signal data test) near3 (vector pattern) near3 generat\$3) same ((segment\$5 partition\$3) near5 (vector pattern)) and ((signal data test) near3 (vector pattern) near3 generat\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 10:15
S2	6676	((signal data test) near3 (vector pattern value) with generat\$3) and (segment\$5 partition\$3) near5 (vector pattern value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 10:13
S1	25	("4994732" "5010552" "5097468" "5430736" "5802075" "5862149" "5872797" "6044480" "6092225" "6212667" "6314540" "6615380").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/07 10:11